

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings of claims in the application.

### **Listing Of Claims:**

Claims 1 and 2. (Cancelled)

Claim 3. (Currently Amended): The thermoplastic molding composition according to Claim [[1]] 11, containing 10 to 65 wt.% of a graft rubber A) and 90 to 35 wt% of at least one rubber-free vinyl resin component B).

Claim 4. (Currently Amended): The molding composition according to Claim [[1]] 11 wherein A1 is a mixture of styrene and acrylonitrile.

Claim 5. (Original): The molding composition according to Claim 3, wherein A2) is at least one member selected from the group consisting of polybutadiene, butadiene/styrene copolymer rubber and butadiene/acrylonitrile copolymer rubber.

Claim 6. (Currently Amended): The molding composition according to Claim [[1]] 11, wherein B) is a copolymer of styrene and acrylonitrile.

Claim 7. (Currently Amended): The composition of Claim [[1]] 11 wherein A1) is 35 to 65 parts by wt. of one or more monomers, at least one of which is acrylonitrile and wherein A2) is 35 to 65 parts by wt. of one or more rubber bases with a glass transition temperature of 0 °C with a C<sub>50</sub> value of acrylonitrile of 31 to 40 wt.% (based on the total graft shell in each case) and with a chemical distribution (C<sub>90</sub>- C<sub>10</sub> value) of the acrylonitrile of 6 to 25 wt.%.

Claim 8. (Currently Amended): The composition of Claim [[1]] 11 wherein B) has a C<sub>50</sub> value of acrylonitrile of 30 to 40 wt.% and a chemical distribution (C<sub>90</sub>-C<sub>10</sub> value) of acrylonitrile of 6 to 25 wt.%.

Claim 9. (Currently Amended): The composition of Claim ~~[[1]]~~ 11 comprising 10 to 65 wt.% of said A and 90 to 35 wt% of said B.

Claim 10. (Currently Amended): A method of using the composition of Claim ~~[[1]]~~ 11 in molding articles comprising thermoforming parts from extruded sheets.

Claim 11. (New): A thermoplastic molding composition comprising at least one polymer component selected from

A) a graft rubber prepared by polymerization of

A1) 35 to 65 parts by wt. of one or more monomers, at least one of which is acrylonitrile, onto

A2) 35 to 65 parts by wt. of one or more rubber bases with a glass transition temperature of  $\leq 0^{\circ}\text{C}$  with a  $C_{50}$  value of acrylonitrile of the graft shell is 31 to 40 wt% (based on the total graft shell in each case) and with a chemical distribution ( $C_{90}$ - $C_{10}$  value) of the acrylonitrile of 6 to 25 wt%, and

B) a rubber-free thermoplastic vinyl resin obtained by radical polymerization of a monomer combination of acrylonitrile and styrene and/or  $\alpha$ -methylstyrene with a  $C_{50}$  value of acrylonitrile of 30 to 40 wt.% and a chemical distribution ( $C_{90}$ - $C_{10}$  value) of the acrylonitrile of 6 to 25 wt.%.